

# **SWITCHES & SOCKETS**

## **TECHNICAL DATASHEET**

**SNOWLITE®**

# About Us


Snowlite began its journey in 2006 with a vision to become the most trusted electrical brand in the world. Guided by this purpose, we have built a strong global footprint across 20+ countries in Europe, Africa and Asia over the past two decades.

Today, Snowlite has developed advanced manufacturing capabilities in India, Turkey, Malaysia and China. Our identity is shaped by three core commitments reflected in every product we create- innovation, quality and affordability.

At Snowlite, we serve residential, industrial and commercial sectors. Our ever-expanding product portfolio includes cables, lighting, tools, switching devices, control and automation equipment, ventilation systems, protection devices and accessories.

More than 3,000 retail partners and 100,000+ end users place their trust in our products thanks to our consistent focus on quality and support throughout the product's lifetime.

# 1 Gang 1 Way Switch



The 1 Gang 1 Way Switch is a reliable and easy to use electrical control device designed for single point operation of lighting or electrical circuits. Built for durability and smooth performance, it is suitable for residential, commercial, and industrial installations.

## FEATURES

- Single-gang, one-way design for simple ON/OFF control.
- High-quality internal contacts for smooth and reliable operation.
- Durable construction for long service life.
- Flush-fit design for a clean and modern appearance.
- Easy installation with standard mounting compatibility.
- Suitable for residential, commercial, and utility applications.

## TECHNICAL DATA

Model No.	Model	Amperes Rating (A)	Power (W)	Standard	Measurement / Unit	CTN Packing
SN 301	1 Gang 1 Way	10	2500 W	BS EN 60669-1	86 x 86 MM	100 / CARTON
SN 302	1 Gang 2 Way	10	2500 W	BS EN 60669-1	86 x 86 MM	100 / CARTON

# 2 Gang 1 Way Switch



The 2 Gang 1 Way Switch is designed to control two separate lighting or electrical circuits from a single location. Built for reliable performance and ease of use, it is suitable for residential and commercial installations.


## FEATURES

- Two gang one way configuration for independent circuit control.
- Smooth switching mechanism for consistent operation.
- High quality internal contacts for durability.
- Clean flush mounting design for a neat finish.
- Easy installation with standard electrical fittings.
- Suitable for residential commercial and utility applications.

## TECHNICAL DATA

Model No.	Model	Ampere Rating (A)	Power (W)	Standard	Measurement / Unit	CTN Packing
SN 303	2 Gang 1 Way	10	2500 W	BS EN 60669-1	86 x 86 MM	100 / CARTON
SN 304	2 Gang 2 Way	10	2500 W	BS EN 60669-1	86 x 86 MM	100 / CARTON

# 3 Gang 1 Way Switch



The 3 Gang 1 Way Switch allows independent control of three lighting or electrical circuits from a single location. Designed for dependable performance and daily use, it is ideal for residential and commercial electrical installations.


## FEATURES

- Three gang one way configuration for separate circuit control.
- Smooth and reliable switching action.
- High quality internal contacts for long service life.
- Flush mounting design for a clean appearance.
- Compatible with standard electrical boxes and fittings.
- Suitable for residential commercial and utility applications.

## TECHNICAL DATA

Model No.	Model	Ampere Rating (A)	Power (W)	Standard	Measurement / Unit	CTN Packing
SN 305	3 Gang 1 Way	10	2500 W	BS EN 60669-1	86 x 86 MM	100 / CARTON
SN 306	3 Gang 2 Way	10	2500 W	BS EN 60669-1	86 x 86 MM	100 / CARTON

# 4 Gang 1 Way Switch



The 4 Gang 1 Way Switch is designed to control four separate lighting or electrical circuits from a single location. It offers dependable operation, clean aesthetics, and long lasting performance for residential and commercial installations.

## FEATURES

- Four gang one way configuration for independent circuit control.
- Smooth switching mechanism for reliable daily operation.
- High quality internal contacts for extended service life.
- Flush mounting design for a neat and modern appearance.
- Easy installation with standard electrical fittings.
- Suitable for residential commercial and utility applications.

## TECHNICAL DATA

Model No.	Model	Ampere Rating (A)	Power (W)	Standard	Measurement / Unit	CTN Packing
SN 307x	4 Gang 1 Way	10	2500 W	BS EN 60669-1	86 x 86 MM	100 / CARTON

# 20A DP Switch with Neon



The 20A DP Switch with Neon is designed for safe and reliable control of high load electrical appliances. Featuring a built in neon indicator, it provides clear visual status and dependable performance for residential and commercial installations.


## FEATURES

- 20 amp double pole design for enhanced electrical safety.
- Built in neon indicator for clear ON and OFF status.
- High quality internal contacts for reliable current handling.
- Durable construction for long term performance.
- Smooth switching action for easy operation.
- Suitable for heavy load residential commercial and utility applications.

## TECHNICAL DATA

Model No.	Model	Ampere Rating (A)	Power (W)	Standard	Measurement / Unit	CTN Packing
SN 324	20A DP Switch with Neon	20	5000 W	BS EN 60669-1	86 x 86 MM	100 / CARTON

# 6 Gang 1 Way Switch



The 6 Gang 1 Way Switch is designed to control six individual lighting or electrical circuits from a single location. It delivers reliable performance, organized control, and a clean finish for residential and commercial installations.

## FEATURES

- Six gang one way configuration for independent circuit control.
- Smooth and reliable switching mechanism.
- High quality internal contacts for long service life.
- Flush mounting design for a neat appearance.
- Compatible with standard electrical fittings.
- Suitable for residential commercial and utility applications.

## TECHNICAL DATA

Model No.	Model	Amperes Rating (A)	Power (W)	Standard	Measurement / Unit	CTN Packing
SN 309	6 Gang 1 Way	10	2500 W	BS EN 60669-1	86 x 146 MM	50 / CARTON

# 1 Gang Bell Push



The 1 Gang Bell Push is designed for momentary control applications such as doorbells and calling systems. Built for consistent performance and durability, it provides smooth operation and a clean appearance for residential and commercial installations.

## FEATURES

- Single gang momentary switch design for bell and calling use.
- Smooth press action for reliable signal activation.
- High quality internal contacts for long lasting performance.
- Durable construction for everyday use.
- Flush mounting design for a neat finish.
- Suitable for residential commercial and utility applications.

## TECHNICAL DATA

Model No.	Model	Ampere Rating (A)	Power (W)	Standard	Measurement / Unit	CTN Packing
SN 316	1 Gang Bell Push	10	2500 W	BS EN 60669-1	86 x 86 MM	100 / CARTON

# 250W 1 Gang Fan Dimmer Switch



The 250W 1 Gang Fan Dimmer Switch is designed to provide smooth and precise speed control for ceiling fans. Built for stable performance and user convenience, it ensures efficient operation with a clean and modern appearance for residential and commercial spaces.

## FEATURES

- Rated for up to 250 watts fan load capacity.
- Single gang design for convenient fan speed control.
- Smooth rotary operation for precise speed adjustment.
- High quality internal components for reliable performance.
- Durable construction for long term daily use.
- Suitable for residential commercial and utility installations.

## TECHNICAL DATA

Model No.	Model	Ampere Rating (A)	Power (W)	Standard	Measurement / Unit	CTN Packing
SN 335	250W 1 Gang Fan Dimmer Switch			BS	86 x 86 MM	100 / CARTON
SN 359 - 1000	Telephone Socket Secondary			BS	86 x 86 MM	100 / CARTON

# 45A DP Switch with Neon (3 x 3)



The 45A DP Switch with Neon is designed for safe and reliable control of high power electrical appliances. With a built in neon indicator and a compact 3 x 3 size, it offers clear status indication and dependable performance for residential and commercial installations.

## FEATURES

- 45 amp double pole design for enhanced safety.
- Built in neon indicator for clear ON and OFF status.
- Compact 3 x 3 size for easy and neat installation.
- High quality internal contacts for heavy load handling.
- Durable construction for long term reliability.
- Suitable for high load residential commercial and utility applications.

## TECHNICAL DATA

Model No.	Model	Ampere Rating (A)	Power (W)	Standard	Measurement / Unit	CTN Packing
SN 327	45A DP Switch with Neon (3 x 3)	45	11250 W	BS EN 60669-1	86 x 86 MM	100 / CARTON

# 45A DP Switch with Neon (3 x 6)



The 45A DP Switch with Neon is designed for safe and efficient control of high load electrical appliances. Featuring a built in neon indicator and a 3 x 6 size format, it ensures clear status visibility and reliable performance in demanding installations.


## FEATURES

- 45 amp double pole design for improved electrical safety.
- Built in neon indicator for clear ON and OFF indication.
- 3 x 6 size format for broader mounting compatibility.
- High quality internal contacts for stable high load operation.
- Durable construction for long lasting performance.
- Suitable for residential commercial and utility high load applications.

## TECHNICAL DATA

Model No.	Model	Ampere Rating (A)	Power (W)	Standard	Measurement / Unit	CTN Packing
SN 329	45A DP Switch with Neon (3 x 6)	45	11250 W	BS EN 60669-1	86 x 146 MM	100 / CARTON

# 13A 1 Gang Switched Socket with Neon



The 13A 1 Gang Switched Socket with Neon is designed to provide safe and convenient power access with clear visual indication. Featuring a built in neon indicator, it ensures reliable performance and user awareness in residential and commercial installations.

## FEATURES

- Rated for 13 amp power supply.
- Single gang switched socket for controlled power usage.
- Built in neon indicator for clear ON and OFF status.
- High quality internal contacts for reliable connectivity.
- Durable construction for long term use.
- Suitable for residential commercial and utility applications.

## TECHNICAL DATA

Model No.	Model	Ampere Rating (A)	Power (W)	Standard	Measurement / Unit	CTN Packing
SN 407	13 A 1 Gang Switched Socket with Neon	13	3250 W	BS 1363	86 x 86 MM	100 / CARTON

# 13A 1 Gang Switched Socket



The 13A 1 Gang Switched Socket is designed to deliver safe and reliable power control for everyday electrical appliances. It offers smooth switching, durable construction, and a clean finish suitable for residential and commercial installations.


## FEATURES

- Rated for 13 amp power supply.
- Single gang switched socket for convenient power control.
- Smooth switching mechanism for reliable operation.
- High quality internal contacts for stable electrical connection.
- Durable construction for long term daily use.
- Suitable for residential commercial and utility applications.

## TECHNICAL DATA

Model No.	Model	Ampere Rating (A)	Power (W)	Standard	Measurement / Unit	CTN Packing
SN 405	13 A 1 Gang Switched Socket	13	3250 W	BS 1363	86 x 86 MM	100 / CARTON

# 13 A 2 Gang Switched Socket



The 13A 2 Gang Switched Socket provides dual power outlets with independent control for efficient and convenient electrical use. Designed for reliability and durability, it is ideal for residential and commercial installations.

## FEATURES

- Rated for 13 amp power supply on each socket.
- Two gang switched design for independent power control.
- Smooth switching mechanism for consistent operation.
- High quality internal contacts for secure electrical connection.
- Durable construction for long term performance.
- Suitable for residential commercial and utility applications.

## TECHNICAL DATA

Model No.	Model	Ampere Rating (A)	Power (W)	Standard	Measurement / Unit	CTN Packing
SN 406	13 A 2 Gang Switched Socket	13	3250 W	BS 1363	86 x 146 MM	50 / CARTON

# Telephone Socket Secondary



The Telephone Socket Secondary is designed to provide reliable connection for secondary telephone lines. Built for durability and clear signal transmission, it ensures efficient communication in residential and commercial installations.

## FEATURES

- Secondary telephone socket for additional line connection.
- High quality contacts for stable and clear signal transmission.
- Durable construction for long lasting use.
- Easy installation with standard fittings.
- Compact design for neat and organized wiring.
- Suitable for residential commercial and utility telephone setups.

## TECHNICAL DATA

Model No.	Model	Amperie Rating (A)	Power (W)	Standard	Measurement / Unit	CTN Packing
SN 442	RJ 45 Single - Data Socket			BS	86 x 86 MM	100 / CARTON
SN 438	Telephone Socket Secondary			BS	86 x 86 MM	100 / CARTON

# Satellite Socket



The Satellite Socket is designed for secure and efficient connection of satellite TV systems. Engineered for high signal quality and durability, it ensures reliable performance for residential and commercial entertainment setups.


## FEATURES

- High quality socket for stable satellite signal transmission.
- Durable construction for long term use.
- Easy installation with standard mounting compatibility.
- Compact design for neat and organized setup.
- Reliable connectivity for uninterrupted television reception.
- Suitable for residential commercial and utility satellite installations.

## TECHNICAL DATA

Model No.	Model	Ampera Rating (A)	Power (W)	Standard	Measurement / Unit	CTN Packing
SN 432	TV Socket Single			BS	86 x 86 MM	100 / CARTON
SN 469	Satelite Socket			BS	86 x 146 MM	50 / CARTON

# RJ45 Double Data Socket (3 x 3)



The RJ45 Double Data Socket (3 x 3) is designed for efficient and reliable network connectivity. Ideal for structured cabling systems, it provides stable data transmission and organized installation for residential and commercial applications.


## FEATURES

- Double RJ45 ports for simultaneous network connections.
- 3 x 3 configuration for flexible mounting options.
- High quality contacts for stable and fast data transmission.
- Durable construction for long term reliability.
- Easy installation with standard mounting compatibility.
- Suitable for residential commercial and office network setups.

## TECHNICAL DATA

Model No.	Model	Amperes Rating (A)	Power (W)	Standard	Measurement / Unit	CTN Packing
SN 443	RJ 45 Double -Data Socket (3 x 3)			BS	86 x 146 MM	100 / CARTON

# 13A 2 Gang Switch socket, Double Pole with neon (7x14)



The 13A 2 Gang Switch Socket Double Pole with Neon (7 x 14) is designed for safe and reliable control of electrical appliances with visual ON and OFF indication. Its robust construction and dual pole design ensure high performance in residential and commercial installations.

## FEATURES

- 13 amp rating with double pole design for enhanced safety.
- Two gang switched sockets for independent control.
- Built in neon indicator for clear ON and OFF status.
- Durable construction for long term reliability.
- Smooth switching action for consistent operation.
- Suitable for residential commercial and utility applications.

## TECHNICAL DATA

Model No.	Model	Ampere Rating (A)	Power (W)	Standard	Measurement / Unit	CTN Packing
SN 408						

# 13A 3 Pin Plug Top White



The 13A 3 Pin Plug Top White is designed for safe and reliable connection of electrical appliances to power outlets. With sturdy construction and high quality contacts, it ensures long lasting performance in residential and commercial applications.

## FEATURES

- Rated for 13 amp power supply.
- Three pin design for secure electrical connection.
- High quality internal contacts for reliable conductivity.
- Durable body construction for long term use.
- Compact and lightweight design for easy handling.
- Suitable for residential commercial and utility applications.

## TECHNICAL DATA

Model No.	Model	Ampere Rating (A)	Power (W)	Standard	Measurement / Unit	CTN Packing
SN 258						